

Dynamics and Animations

Dynamics let you configure real-time changes for an object's look, position, size, colors, the value the object reflects, the user action for when a user clicks, and more. This dynamic behavior is configured by creating links between the object properties, tags, or other runtime properties for the project.

In some systems, "animation" is used to refer to these dynamic runtime changes. For FactoryStudio, we elected to use the term "Dynamics" to provide a clear distinction with the WPF animations features. WPF animations also refer to changes that occur in a graphic's object properties when running the displays. This occurs when timers and other object statuses are used to guide the animation, not real-time database values.

When you double click on an object, press the Dynamics button, or select it on the right-click context menu, a list is presented of compatible dynamics that can be applied to the selected object.

<i>Dynamics animations</i>	
Setting	Description
Action	Executes actions and commands triggered by the user interface.
Shine	Changes the object appearance dynamically.
TextIO	Text input and text output Dynamic.
HyperLink	Opens a hyperlink.
Security	Sets the object runtime permissions to execute actions.
FillColor	Changes the object fill color dynamically.
LineColor	Changes the object line color dynamically.
TextColor	Changes the object text color dynamically.
Bargraph	Bargraph dynamic.
Visibility	Changes the object visibility and opacity dynamically.
MoveDrag	Moves the object dynamically.
Scale	Changes the object size dynamically.
Rotate	Rotates the object dynamically.
Skew	Skews the object dynamically.
TextOutput	Text output dynamic.

Get, Apply, and Replace

After adding a dynamic to an object, the buttons **Get** and **Apply** can be used to move the dynamic's settings configuration from one object to another. Select the object with the dynamics you want to use, and click on Get. Right click the dynamic name in the left panel, in order to enable or disable the ones that will be applied. Select one or more target objects and press Apply.

You can use the **Replace** button to change the tags in the dynamics of the selected objects. The String button is used to change all of the strings for the selected objects.

Settings

The tables below lists the settings available for each type of dynamic.

<i>Action Dynamic configuration</i>	
Setting	Description
Action	Executes an action triggered by the user interface.
Event	Choose events for a mouse's actions. More than one event can be selected for each action. For example, you can set one action for MouseLeftButtonDown and another action for MouseLeftButtonUp.

Action	<p>Select an action for the given event:</p> <ul style="list-style-type: none"> • None—No action. • SetValue—Sets the value of the object. <ul style="list-style-type: none"> ◦ Object—The object that will receive the value. ◦ Value—The value that will be passed to the object. • Toggle—Toggles the object value. If the object's current value is zero, the value will be 1. If the object's current value is different from zero, the value will be 0. <ul style="list-style-type: none"> ◦ Object—The object that will be toggled. • OpenDisplay—Opens a display. <ul style="list-style-type: none"> ◦ Display—The name of the display that will be opened. • CloseDisplay—Closes a display. <ul style="list-style-type: none"> ◦ Display—The name of the display that will be closed. • OpenLayout—Opens a layout. <ul style="list-style-type: none"> ◦ Layout—The name of the layout that will be opened. • RunScript—Runs a script that is placed in the display CodeBehind tab. Do one of the following: <ul style="list-style-type: none"> ◦ Enter the new method name and click New. ◦ Select one of the existing methods in the comboBox. • RunExpressions—Runs the given expression. <ul style="list-style-type: none"> ◦ Expression—Enter the expression. For example: Tag.a + 1, or Tag.a + Tag.b, or Math.Cos(Tag.angle) * Math.PI. ◦ Result (optional)—Enter the tag or the property that will receive the expression value.
--------	--



Examples

Run Expressions Examples:

- Sum two values and pass the result to another tag.

Expression—Tag.quantity1 + Tag.quantity2.

Result—Tag.totalQuantity.

- Increment a tag.

Expression—tagCounter + 1.

Result—tagCounter.






- Increment a tag (0 - 10).

Expression—If(tagCounter < 10,tagCounter + 1,0).

Result:—tagCounter.

Shine Dynamic

Shine Dynamic configuration	
Setting	Description
Shine	Changes the object appearance dynamically.
IsMouseOver	Enter a tag that will receive the OverValue or the NotOverValue.
OverValue	The IsMouseOver value when the mouse is over the object.
NotOverValue	The IsMouseOver value when the mouse is not over the object.
Mouse Over Appearance	<p>The object appearance when the mouse is over it.</p> <ul style="list-style-type: none"> • Opacity—The object opacity (0 = transparent, 1 = opaque). • Scale—The object size (0.5 = half, 1 = the same size, 1.5 = one and a half, 2 = double size). • OuterGlow—Defines the OuterGlow color, the check box enables or disables it. • TextColor—Defines the text color, the check box enables or disables it.
Mouse Not Over Appearance	<p>The object appearance when the mouse is Not over it:</p> <ul style="list-style-type: none"> • Opacity—The object opacity (0 = transparent, 1 = opaque). • Scale—The object size (0.5 = half, 1 = the same size, 1.5 = one and a half, 2 = double size).

Is Selected Appearance	<p>The object appearance when it is selected:</p> <ul style="list-style-type: none"> IsSelected—Defines whether the object is selected. Opacity—The object opacity (0 = transparent, 1 = opaque). Scale—The object size (0.5 = half, 1 = the same size, 1.5 = one and a half, 2 = double size).
Scale Reference	 Center  Left  Up  Right  Down
ShowUid	Set to show the Uid of the object on hover
Tooltip	Set to show as a tooltip on hover

Text I/O dynamic

<i>Text I/O Dynamic configuration</i>	
Setting	Description
TextIO	Text input and text output Dynamic. If text is a tag value or a property, it must be between curly brackets. For example: {Tag.analogInt1}
Binding Mode	<p>Associate an object with a tag:</p> <ul style="list-style-type: none"> TwoWay—Input and output allowed. InputOnly—Only input allowed (the current tag value is not shown, but new values can be entered). OutputOnly—Only output allowed.
Object or Expression	Object (input) or Expression (output only) connected with the Text Box.
DesignModeCaption	<p>The value shown in design mode:</p> <ul style="list-style-type: none"> ShowObjectNames—The content of the text field is shown exactly as it is. ShowPlaceHolders—The characters ### are shown, the number of characters is defined by the MaxLength field.
Input Range	Defines the numeric range for the entered value.
MaxLength	Defines the maximum number of characters.
Format	<p>Defines the text format for the field, example:</p> <p>mm/dd/yyyy, is a format used to express a date time input; 0.00, is a format of a decimal number with two digits after the point.</p>

Hyperlink and Security dynamic

<i>Hyperlink Dynamic configuration</i>	
Setting	Description
HyperLink	Opens a hyperlink.

HyperLinkType	Select the hyperlink type: <ul style="list-style-type: none"> • http • ftp • file • mailto • telnet
Url	Set the URL to open.







<i>Security Dynamic configuration</i>	
Setting	Description
Security	Set the object runtime permissions.
Disable	Enter a tag, a property, or an expression returning a value. If the resulting value is: <ul style="list-style-type: none"> • Zero—Object will be enabled. • Greater than zero—Object will be disabled. For more information, see Configuring Expressions .
Verify Permissions	When selected, only the chosen permission groups can access the object.
Confirm Message	Shows a confirmation dialog before taking some action: <ul style="list-style-type: none"> • textBox—Enter the message that will appear in the dialog. • checkBox—Enables or Disables the Confirm Message.
Esign Required	Set if the Esign is required

Fill, Line, and Text Color Dynamic

<i>Fill, Line, and Text Color Dynamic configuration</i>	
Setting	Description
FillColor	Changes the object fill color dynamically.
Expression	The value used for the FillColor dynamic.
Change Color	<ul style="list-style-type: none"> • UsingLimits—The resulting color is determined when the value is equal or higher than one of the limits. • AbsoluteValue—The color will be the expression value. The value must be a valid color name or hexadecimal color. For example: "White" or "#FFFFFF" <p>Example</p> <p>Limits:</p> <p>1 - Red</p> <p>10 - Blue</p> <p>When the value is 0, the object will have its own color (fill color dynamic will not do anything)</p> <p>When the value is 1 to 9, the object will have the red color.</p> <p>When the value is greater than 10, the object will have the blue color.</p>
Bad Quality	Select color when the related tag quality is bad.
Undefined Quality	Select color when the related tag quality is undefined.
LineColor	Changes the object line color dynamically.
Expression	The value used for the LineColor dynamic.

Change Color	<ul style="list-style-type: none"> UsingLimits—The resulting color is determined when the value is equal or higher than one of the limits. AbsoluteValue—The color will be the expression value. The value must be a valid color name or hexadecimal color. For example: "White" or "#FFFFFF" <p>Example</p> <p>Limits:</p> <p>1 - Red</p> <p>10 - Blue</p> <p>When the value is 0, the object will have its own color (fill color dynamic will not do anything)</p> <p>When the value is 1 to 9, the object will have the red color.</p> <p>When the value is greater than 10, the object will have the blue color.</p>
TextColor	Changes the object text color dynamically.
Expression	the value used for the TextColor dynamic.
Change Color	<ul style="list-style-type: none"> UsingLimits—The resulting color is determined when the value is equal or higher than one of the limits. AbsoluteValue—The color will be the expression value. The value must be a valid color name or hexadecimal color. For example: "White" or "#FFFFFF" <p>Example</p> <p>Limits:</p> <p>1 - Red</p> <p>10 - Blue</p> <p>When the value is 0, the object will have its own color (fill color dynamic will not do anything)</p> <p>When the value is 1 to 9, the object will have the red color.</p> <p>When the value is greater than 10, the object will have the blue color.</p>

Bargraph Dynamic

<i>Bargraph Dynamic configuration</i>	
Setting	Description
Bargraph	Bargraph dynamic.
Expression	The value used for the bargraph dynamic.
Value Range	The minimum and maximum values that will correspond to the minimum and maximum fill percentage.
Fill (%)	The minimum and maximum bargraph fill percentage.
Bar Color	The bar graph color.
Orientation	<p>The bar graph orientation:</p> <div>  to up  horizontal center  to down  to right  vertical center  to left </div>

Visibility Dynamic

<i>Visibility Dynamic configuration</i>	
Setting	Description
Visibility	Changes the object visibility and opacity dynamically.






Visible	Enter a tag, a property, or an expression returning a value. If the resulting value is: <ul style="list-style-type: none"> Zero - Object will be visible. Greater than zero - Object will be hidden. For more information, see Configuring Expressions .
Hide when security is enabled	Hides the component when security is enabled for the current user.
Opacity	<ul style="list-style-type: none"> Expression—The value used to set the opacity. Range—The minimum and maximum values that will correspond to the minimum and maximum opacity. Opacity—The minimum and maximum opacity (0 - invisible, 0.5 - a bit transparent, 1 - opaque).

MoveDrag Dynamics






<i>MoveDrag Dynamic configuration</i>	
Setting	Description
MoveDrag	Moves the object dynamically.
BindingMode	<ul style="list-style-type: none"> TwoWay—Input moving and output moving. InputOnly—Input moving only. The object does not move when the object value changes. OutputOnly—Output moving only. The object does not move with user interaction.
Horizontal Move	<ul style="list-style-type: none"> Expression with the horizontal move reference. Range—The minimum and maximum values that will correspond to the minimum and maximum horizontal position. Position—The minimum and maximum horizontal position.
Vertical Move	<ul style="list-style-type: none"> Expression with the vertical move range. Range—The minimum and maximum values that will correspond to the minimum and maximum vertical position. Position—The minimum and maximum vertical position.
Use previous object for position reference	Reference the current object's position based on the previous object

Scale Dynamic

<i>Scale Dynamic configuration</i>	
Setting	Description
Scale	Changes the object size dynamically.
Width Scale	<ul style="list-style-type: none"> Object—the value used for the width scaling. Range—The minimum and maximum values that will correspond to the minimum and maximum width scale percentage. Scale (%)—The minimum and maximum width scaling percentage.
Height Scale	<ul style="list-style-type: none"> Object—the value used for the height scaling. Range—The minimum and maximum values that will correspond to the minimum and maximum height scale percentage. Scale (%)—The minimum and maximum height scaling percentage.






Scale Reference:	<div>  Center </div> <div>  Left </div> <div>  Up </div> <div>  Right </div> <div>  Down </div>
------------------	--

Rotate Dynamic

<i>Rotate Dynamic configuration</i>	
Setting	Description
Rotate	Rotates the object dynamically.
Expression	The value used for the rotation.
Value Range	The minimum and maximum values that will correspond to the minimum and maximum angle. For example: 0 to 100.
Angle	The minimum and maximum rotation angle. For example: 0 to 360.
RPM	Number of rotations per minute. The value can be defined on Expression.
Center Reference	<p>Clockwise – Check if you want Clockwise.</p> <div>  Center </div> <div>  Left </div> <div>  Up </div> <div>  Right </div> <div>  Down </div> <p>Offset X – Defines the distance of the center of the Rotation in X axis. Offset Y – Defines the distance of the center of the Rotation in Y axis.</p>
ON/OFF	Enter with the object property that will turn ON/OFF the Rotation Dynamic

Skew Dynamic

<i>Skew Dynamic configuration</i>	
Setting	Description
Skew	Skews the object dynamically.
X-axis Skew	<ul style="list-style-type: none"> ObjectValue— the value used for the X-axis skewing. Range—The minimum and maximum values that will correspond to the minimum and maximum X-axis skewing angle. For example: 0 to 100. Skew (°)— The minimum and maximum X-axis skewing angle. For example: 0 to 180°.

Y axis skew	<ul style="list-style-type: none"> ObjectValue— the value used for the Y-axis skewing. Range—The minimum and maximum values that will correspond to the minimum and maximum Y-axis skewing angle. For example: 0 to 100. Skew (°)— The minimum and maximum Y-axis skewing angle. For example: 0 to 180°.
Skew Reference	<div>  Center </div> <div>  Left </div> <div>  Up </div> <div>  Right </div> <div>  Down </div>

TextOutput Dynamic

<i>Table 15: TextOutput Dynamic configuration</i>	
Setting	Description
TextOutput	Text output dynamic.
Expression	Indicates the text that will be shown in the object.
Localizable	Indicates whether the text must be translated when the dictionary changes.
DesignModeCaption	<ul style="list-style-type: none"> The value shown in design mode: ShowObjectNames—The content of the text field is shown exactly as it is. ShowPlaceHolders—The characters ### are shown, the number of characters is defined by the MaxLength field.
MaxLength	Defines the maximum number of characters.
Format	Specify the format of the field